

## 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Nevada High School Survey Decade Trend Analysis Report (2001-2009)

Question	Prevalence Survey Year					Linear Change	Quadratic Change
	2001	2003	2005	2007	2009		
<b>Total</b>							
<b>Injury and Violence</b>							
Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else				10.3	9.0	No	
Percentage of students who rode one or more times during the past 30 days in a car or other vehicle driven by someone who had been drinking alcohol	29.9	26.6	26.4	23.4	23.0	Yes	No
Percentage of students who drove a car or other vehicle one or more times during the past 30 days when they had been drinking alcohol	13.1	11.1	10.4	8.7	7.3	Yes	No
Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days	16.0	14.9	18.4	14.5	19.1	No	No
Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days	6.9	6.3	6.8	4.7	6.2	No	No
Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school	16.9	8.7	9.4	7.0	7.5	Yes	Yes
Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months	8.8	6.0	8.1	7.8	10.7	No	Yes
Percentage of students who were in a physical fight one or more times during the past 12 months	35.6	35.0	34.5	31.6	35.0	No	No
Percentage of students who were in a physical fight on school property one or more times during the past 12 months	13.0	12.6	14.2	11.3	10.0	Yes	No
Percentage of students who were ever hit, slapped, or physically hurt on purpose by their boyfriend or girlfriend during the past 12 months	12.1	10.0	10.7	9.4	11.4	No	No
Percentage of students who had ever been physically forced to have sexual intercourse when they did not want to	9.2	11.0	9.5	7.6	10.1	No	No
Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months	29.7	29.9	27.8	26.1	30.3	No	No
Percentage of students who seriously considered attempting suicide during the past 12 months	19.6	18.1	16.1	14.3	18.0	Yes	Yes

## 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Nevada High School Survey Decade Trend Analysis Report (2001-2009)

Question	Prevalence Survey Year					Linear Change	Quadratic Change
	2001	2003	2005	2007	2009		
<b>Total</b>							
<b>Injury and Violence</b>							
Percentage of students who made a plan about how they would attempt suicide during the past 12 months	16.4	15.1	15.0	14.2	14.3	No	No
Percentage of students who actually attempted suicide one or more times during the past 12 months	10.8	8.8	8.7	8.9	10.2	No	Yes
Percentage of students who made a suicide attempt during the past 12 months that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse	3.8	2.9	3.4	3.3	3.6	No	No

## 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Nevada High School Survey Decade Trend Analysis Report (2001-2009)

Question	Prevalence Survey Year					Linear Change	Quadratic Change
	2001	2003	2005	2007	2009		
<b>Total</b>							
<b>Tobacco Use</b>							
Percentage of students who ever tried cigarette smoking, even one or two puffs	66.5	57.3	52.0	44.7	47.5	Yes	Yes
Percentage of students who smoked a whole cigarette for the first time before age 13 years	23.3	18.8	16.1	12.6	11.3	Yes	No
Percentage of students who smoked cigarettes on one or more of the past 30 days	25.2	19.6	18.3	13.6	17.0	Yes	Yes
Percentage of students who smoked cigarettes on 20 or more of the past 30 days	11.3	8.8	7.1	5.0	6.4	Yes	No
Among students who reported current cigarette use, the percentage who smoked more than 10 cigarettes per day on the days they smoked during the past 30 days	10.7	7.4	11.8	9.1	7.9	No	No
Among students who were less than 18 years of age and who reported current cigarette use, the percentage who usually got their own cigarettes by buying them in a store or gas station during the past 30 days	13.1	7.0	13.2	10.1	13.4	No	No
Percentage of students who smoked cigarettes on school property on one or more of the past 30 days	10.3	7.4	6.8	5.0	5.6	Yes	No
Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days	6.9	3.6	5.9	4.5	5.5	No	No
Percentage of students who used chewing tobacco, snuff, or dip on school property on one or more of the past 30 days	4.0	2.8	3.6	2.7	3.2	No	No

## 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Nevada High School Survey Decade Trend Analysis Report (2001-2009)

Question	Prevalence Survey Year					Linear Change	Quadratic Change
	2001	2003	2005	2007	2009		
<b>Total</b>							
<b>Alcohol and Other Drug Use</b>							
Percentage of students who had at least one drink of alcohol on one or more days during their life	80.1	75.6	74.1	71.6	73.2	Yes	No
Percentage of students who had their first drink of alcohol other than a few sips before age 13 years	33.0	32.0	31.1	24.6	25.6	Yes	No
Percentage of students who had at least one drink of alcohol on one or more of the past 30 days	47.5	43.4	41.4	37.0	38.6	Yes	No
Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days	32.4	27.8	24.8	21.1	22.0	Yes	No
Among students who reported current alcohol use, the percentage who usually got the alcohol they drank from someone who gave it to them during the past 30 days				38.1	36.0	No	
Percentage of students who had at least one drink of alcohol on school property on one or more of the past 30 days	8.1	7.4	6.8	4.4	4.4	Yes	No
Percentage of students who used marijuana one or more times during their life	50.8	46.6	39.3	35.3	39.5	Yes	Yes
Percentage of students who tried marijuana for the first time before age 13 years	17.8	12.5	12.3	8.4	9.3	Yes	No
Percentage of students who used marijuana one or more times during the past 30 days	26.6	22.3	17.3	15.5	20.0	Yes	Yes
Percentage of students who used marijuana on school property one or more times during the past 30 days	7.7	5.3	5.7	3.6	4.9	Yes	No
Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life	11.9	10.9	11.1	7.8	7.7	Yes	No
Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life	16.4	14.5	15.3	12.9	12.8	Yes	No
Percentage of students who used methamphetamines one or more times during their life	15.6	12.5	11.7	6.3	5.9	Yes	No
Percentage of students who took steroid pills or shots without a doctor's prescription one or more times during their life	6.4	6.5	5.5	3.8	3.7	Yes	No
Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life	3.7	3.3	3.9	2.0	1.8	Yes	No

## 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Nevada High School Survey Decade Trend Analysis Report (2001-2009)

Question	Prevalence Survey Year					Linear Change	Quadratic Change
	2001	2003	2005	2007	2009		
<b>Total</b>							
<b>Alcohol and Other Drug Use</b>							
Percentage of students who were offered, sold, or given an illegal drug by someone on school property during the past 12 months	35.7	34.5	32.6	28.8	35.6	No	Yes

## 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Nevada High School Survey Decade Trend Analysis Report (2001-2009)

Question	Prevalence Survey Year					Linear Change	Quadratic Change
	2001	2003	2005	2007	2009		
<b>Total</b>							
<b>Sexual Behaviors</b>							
Percentage of students who ever had sexual intercourse	49.1	46.4	44.1	42.8	49.0	No	Yes
Percentage of students who had sexual intercourse for the first time before age 13 years	8.3	7.5	7.7	5.6	6.7	Yes	No
Percentage of students who had sexual intercourse with four or more people during their life	16.6	19.0	15.2	13.1	15.7	No	No
Percentage of students who had sexual intercourse with one or more people during the past three months	34.6	32.6	30.8	30.5	32.7	No	No
Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse	24.4	23.7	22.8	21.5	20.7	No	No
Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse	59.1	62.0	62.4	69.1	62.9	No	No
Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse	17.3	19.9	16.5	16.5	16.9	No	No
Percentage of students who had ever been taught in school about AIDS or HIV infection	86.5	88.0	85.1	82.3	82.9	Yes	No

## 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Nevada High School Survey Decade Trend Analysis Report (2001-2009)

Question	Prevalence Survey Year					Linear Change	Quadratic Change
	2001	2003	2005	2007	2009		
<b>Total</b>							
<b>Weight Management and Dietary Behaviors</b>							
Percentage of students who were overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)				14.5	13.4	No	
Percentage of students who were obese (i.e., at or above the 95th percentile for body mass index, by age and sex)				11.0	11.0	No	
Percentage of students who described themselves as slightly or very overweight	29.5	30.0	30.0	28.6	28.5	No	No
Percentage of students who were trying to lose weight	47.5	47.0	48.6	45.0	45.3	No	No
Percentage of students who exercised to lose weight or to keep from gaining weight during the past 30 days	60.6	61.9	65.3	63.8	63.5	No	No
Percentage of students who ate less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight during the past 30 days	39.9	38.0	41.0	37.7	35.5	Yes	No
Percentage of students who went without eating for 24 hours or more to lose weight or to keep from gaining weight during the past 30 days	14.6	11.8	11.8	11.1	10.6	Yes	No
Percentage of students who took any diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight during the past 30 days	12.0	9.9	8.6	6.6	5.5	Yes	No
Percentage of students who vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days	7.1	6.3	7.6	5.0	5.4	Yes	No
Percentage of students who drank 100% fruit juices one or more times during the past seven days				80.9	78.6	No	
Percentage of students who ate fruit one or more times during the past seven days				84.6	84.4	No	
Percentage of students who ate green salad one or more times during the past seven days	67.3	66.0	65.5	65.4	59.7	Yes	No
Percentage of students who ate potatoes one or more times during the past seven days				66.9	65.0	No	
Percentage of students who ate carrots one or more times during the past seven days				48.4	46.2	No	
Percentage of students who ate other vegetables one or more times during the past seven days				80.4	81.0	No	
Percentage of students who ate fruits and vegetables five or more times per day during the past seven days				19.0	17.0	No	

## 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Nevada High School Survey Decade Trend Analysis Report (2001-2009)

Question	Prevalence Survey Year					Linear Change	Quadratic Change
	2001	2003	2005	2007	2009		
<b>Total</b>							
<b>Weight Management and Dietary Behaviors</b>							
Percentage of students who ate fruits two or more times per day during the past seven days				29.7	28.0	No	
Percentage of students who ate vegetables three or more times per day during the past seven days				11.7	9.8	Yes	
Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day during the past seven days				23.5	22.1	No	
Percentage of students who drank three or more glasses per day of milk during the past seven days	16.5	16.6	16.6	14.4	12.6	Yes	No



## 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Nevada High School Survey Decade Trend Analysis Report (2001-2009)

Question	Prevalence Survey Year					Linear Change	Quadratic Change
	2001	2003	2005	2007	2009		
<b>Total</b>							
<b>Physical Activity</b>							
Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days				46.2	44.1	No	
Percentage of students who watched three or more hours per day of TV on an average school day				35.1	35.1	No	
Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day				24.0	26.2	No	

## 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Nevada High School Survey Decade Trend Analysis Report (2001-2009)

Question	Prevalence Survey Year					Linear Change	Quadratic Change
	2001	2003	2005	2007	2009		
<b>Male</b>							
<b>Injury and Violence</b>							
Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else				12.1	9.8	No	
Percentage of students who rode one or more times during the past 30 days in a car or other vehicle driven by someone who had been drinking alcohol	31.0	25.3	26.8	22.4	21.3	Yes	No
Percentage of students who drove a car or other vehicle one or more times during the past 30 days when they had been drinking alcohol	14.5	12.2	11.8	8.6	9.4	Yes	No
Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days	23.5	21.0	28.3	21.2	29.0	No	No
Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days	9.5	9.0	10.3	6.2	8.9	No	No
Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school	13.9	8.1	9.6	6.0	7.9	Yes	No
Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months	12.5	7.0	10.9	9.2	12.8	No	Yes
Percentage of students who were in a physical fight one or more times during the past 12 months	44.9	41.2	45.4	37.8	42.8	No	No
Percentage of students who were in a physical fight on school property one or more times during the past 12 months	17.9	16.0	19.9	14.3	12.9	Yes	No
Percentage of students who were ever hit, slapped, or physically hurt on purpose by their boyfriend or girlfriend during the past 12 months	13.8	8.4	10.1	9.9	12.0	No	Yes
Percentage of students who had ever been physically forced to have sexual intercourse when they did not want to	7.2	6.8	5.7	3.7	7.1	No	Yes
Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months	24.2	23.7	22.2	17.5	23.0	No	No
Percentage of students who seriously considered attempting suicide during the past 12 months	14.0	12.2	10.9	9.8	12.8	No	Yes
Percentage of students who made a plan about how they would attempt suicide during the past 12 months	12.2	12.7	11.5	11.0	11.5	No	No

## 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Nevada High School Survey Decade Trend Analysis Report (2001-2009)

Question	Prevalence Survey Year					Linear Change	Quadratic Change
	2001	2003	2005	2007	2009		
<b>Male</b>							
<b>Injury and Violence</b>							
Percentage of students who actually attempted suicide one or more times during the past 12 months	8.3	5.9	5.9	5.9	8.7	No	Yes
Percentage of students who made a suicide attempt during the past 12 months that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse	3.3	2.2	2.8	2.2	2.9	No	No

## 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Nevada High School Survey Decade Trend Analysis Report (2001-2009)

Question	Prevalence Survey Year					Linear Change	Quadratic Change
	2001	2003	2005	2007	2009		
Male							
Tobacco Use							
Percentage of students who ever tried cigarette smoking, even one or two puffs	68.3	55.2	54.2	44.5	50.3	Yes	Yes
Percentage of students who smoked a whole cigarette for the first time before age 13 years	26.1	17.2	19.8	12.2	13.3	Yes	No
Percentage of students who smoked cigarettes on one or more of the past 30 days	24.6	18.0	19.8	12.8	18.6	Yes	Yes
Percentage of students who smoked cigarettes on 20 or more of the past 30 days	9.9	9.0	7.9	4.8	7.9	No	No
Among students who reported current cigarette use, the percentage who smoked more than 10 cigarettes per day on the days they smoked during the past 30 days	13.3	12.5	15.6	12.2	10.4	No	No
Percentage of students who smoked cigarettes on school property on one or more of the past 30 days	10.2	8.3	6.6	4.9	7.1	Yes	No
Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days	11.1	6.1	7.8	6.6	8.8	No	Yes
Percentage of students who used chewing tobacco, snuff, or dip on school property on one or more of the past 30 days	6.7	4.8	5.5	4.1	5.2	No	No

## 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Nevada High School Survey Decade Trend Analysis Report (2001-2009)

Question	Prevalence Survey Year					Linear Change	Quadratic Change
	2001	2003	2005	2007	2009		
<b>Male</b>							
<b>Alcohol and Other Drug Use</b>							
Percentage of students who had at least one drink of alcohol on one or more days during their life	78.1	73.3	73.5	70.9	71.8	Yes	No
Percentage of students who had their first drink of alcohol other than a few sips before age 13 years	36.2	35.0	36.2	26.5	28.6	Yes	No
Percentage of students who had at least one drink of alcohol on one or more of the past 30 days	46.4	40.5	42.3	34.6	38.6	Yes	No
Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days	33.1	26.7	26.7	20.0	22.8	Yes	No
Among students who reported current alcohol use, the percentage who usually got the alcohol they drank from someone who gave it to them during the past 30 days				32.8	28.7	No	
Percentage of students who had at least one drink of alcohol on school property on one or more of the past 30 days	8.7	7.7	8.2	4.6	4.8	Yes	No
Percentage of students who used marijuana one or more times during their life	52.6	44.4	42.3	35.9	42.8	Yes	Yes
Percentage of students who tried marijuana for the first time before age 13 years	21.1	12.7	16.7	10.0	12.7	Yes	No
Percentage of students who used marijuana one or more times during the past 30 days	29.5	22.3	19.1	17.1	22.9	Yes	Yes
Percentage of students who used marijuana on school property one or more times during the past 30 days	10.4	5.5	7.5	3.8	6.5	Yes	No
Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life	11.5	9.6	10.3	6.5	9.0	No	No
Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life	16.8	12.5	14.8	11.5	10.7	Yes	No
Percentage of students who used methamphetamines one or more times during their life	14.8	8.9	11.2	5.0	6.4	Yes	No
Percentage of students who took steroid pills or shots without a doctor's prescription one or more times during their life	7.9	6.6	5.8	4.5	4.3	Yes	No
Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life	5.1	3.4	4.5	2.7	2.4	Yes	No

## 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Nevada High School Survey Decade Trend Analysis Report (2001-2009)

Question	Prevalence Survey Year					Linear Change	Quadratic Change
	2001	2003	2005	2007	2009		
<b>Male</b>							
<b>Alcohol and Other Drug Use</b>							
Percentage of students who were offered, sold, or given an illegal drug by someone on school property during the past 12 months	39.4	35.5	38.4	31.3	38.1	No	No

## 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Nevada High School Survey Decade Trend Analysis Report (2001-2009)

Question	Prevalence Survey Year					Linear Change	Quadratic Change
	2001	2003	2005	2007	2009		
<b>Male</b>							
<b>Sexual Behaviors</b>							
Percentage of students who ever had sexual intercourse	50.0	47.4	48.5	45.3	52.6	No	No
Percentage of students who had sexual intercourse for the first time before age 13 years	11.6	10.7	11.5	8.1	10.0	No	No
Percentage of students who had sexual intercourse with four or more people during their life	18.9	21.4	18.7	15.9	20.3	No	No
Percentage of students who had sexual intercourse with one or more people during the past three months	32.6	30.9	30.8	30.7	32.5	No	No
Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse	29.7	24.9	26.1	24.7	25.4	No	No
Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse	68.5	72.3	66.9	81.1	68.2	No	No
Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse	12.9	14.6	12.0	14.5	13.5	No	No
Percentage of students who had ever been taught in school about AIDS or HIV infection	87.6	87.8	85.3	82.1	81.5	Yes	No

# 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Nevada High School Survey Decade Trend Analysis Report (2001-2009)

Question	Prevalence Survey Year					Linear Change	Quadratic Change
	2001	2003	2005	2007	2009		
Male							
Weight Management and Dietary Behaviors							
Percentage of students who were overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)				15.1	13.4	No	
Percentage of students who were obese (i.e., at or above the 95th percentile for body mass index, by age and sex)				14.2	15.1	No	
Percentage of students who described themselves as slightly or very overweight	24.9	24.7	27.7	23.3	23.8	No	No
Percentage of students who were trying to lose weight	33.8	31.5	34.6	31.9	32.0	No	No
Percentage of students who exercised to lose weight or to keep from gaining weight during the past 30 days	52.4	52.5	56.4	57.8	59.6	Yes	No
Percentage of students who ate less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight during the past 30 days	26.2	25.1	26.7	26.1	24.9	No	No
Percentage of students who went without eating for 24 hours or more to lose weight or to keep from gaining weight during the past 30 days	8.6	5.9	8.7	7.1	7.5	No	No
Percentage of students who took any diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight during the past 30 days	8.9	7.0	7.2	6.0	4.1	Yes	No
Percentage of students who vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days	4.3	4.2	6.3	2.6	2.8	No	No
Percentage of students who drank 100% fruit juices one or more times during the past seven days				82.3	80.4	No	
Percentage of students who ate fruit one or more times during the past seven days				83.6	85.3	No	
Percentage of students who ate green salad one or more times during the past seven days	63.9	64.0	62.1	63.1	55.8	Yes	No
Percentage of students who ate potatoes one or more times during the past seven days				70.2	68.6	No	
Percentage of students who ate carrots one or more times during the past seven days				46.8	48.0	No	
Percentage of students who ate other vegetables one or more times during the past seven days				78.3	79.9	No	
Percentage of students who ate fruits and vegetables five or more times per day during the past seven days				20.9	21.0	No	



## 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Nevada High School Survey Decade Trend Analysis Report (2001-2009)

Question	Prevalence Survey Year					Linear Change	Quadratic Change
	2001	2003	2005	2007	2009		
Male							
Weight Management and Dietary Behaviors							
Percentage of students who ate fruits two or more times per day during the past seven days				30.7	29.8	No	
Percentage of students who ate vegetables three or more times per day during the past seven days				11.2	12.0	No	
Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day during the past seven days				26.5	26.4	No	
Percentage of students who drank three or more glasses per day of milk during the past seven days	22.5	23.1	21.9	20.1	17.9	Yes	No

## 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Nevada High School Survey Decade Trend Analysis Report (2001-2009)

Question	Prevalence Survey Year					Linear Change	Quadratic Change
	2001	2003	2005	2007	2009		
<b>Male</b>							
<b>Physical Activity</b>							
Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days				54.1	52.8	No	
Percentage of students who watched three or more hours per day of TV on an average school day				37.2	33.9	No	
Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day				27.1	31.2	No	

## 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Nevada High School Survey Decade Trend Analysis Report (2001-2009)

Question	Prevalence Survey Year					Linear Change	Quadratic Change
	2001	2003	2005	2007	2009		
<b>Female</b>							
<b>Injury and Violence</b>							
Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else				8.4	8.2	No	
Percentage of students who rode one or more times during the past 30 days in a car or other vehicle driven by someone who had been drinking alcohol	28.6	28.0	25.8	24.3	24.9	Yes	No
Percentage of students who drove a car or other vehicle one or more times during the past 30 days when they had been drinking alcohol	11.6	9.8	8.8	8.7	5.1	Yes	No
Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days	8.1	8.4	7.9	7.4	8.8	No	No
Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days	4.2	3.5	2.9	3.1	3.5	No	No
Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school	20.0	9.3	9.0	8.1	7.0	Yes	Yes
Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months	5.0	5.0	4.9	6.2	8.4	Yes	No
Percentage of students who were in a physical fight one or more times during the past 12 months	25.7	28.5	23.2	25.3	26.8	No	No
Percentage of students who were in a physical fight on school property one or more times during the past 12 months	7.9	9.1	8.0	8.3	7.0	No	No
Percentage of students who were ever hit, slapped, or physically hurt on purpose by their boyfriend or girlfriend during the past 12 months	10.3	11.6	11.1	8.6	10.8	No	No
Percentage of students who had ever been physically forced to have sexual intercourse when they did not want to	11.3	15.3	13.3	11.5	13.1	No	No
Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months	35.5	36.4	33.6	35.2	37.9	No	No
Percentage of students who seriously considered attempting suicide during the past 12 months	25.5	24.2	21.5	19.1	23.4	Yes	Yes
Percentage of students who made a plan about how they would attempt suicide during the past 12 months	20.9	17.6	18.5	17.4	17.2	No	No

## 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Nevada High School Survey Decade Trend Analysis Report (2001-2009)

Question	Prevalence Survey Year					Linear Change	Quadratic Change
	2001	2003	2005	2007	2009		
<b>Female</b>							
<b>Injury and Violence</b>							
Percentage of students who actually attempted suicide one or more times during the past 12 months	13.2	11.9	11.2	11.9	11.6	No	No
Percentage of students who made a suicide attempt during the past 12 months that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse	4.4	3.7	3.8	4.3	4.3	No	No

## 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Nevada High School Survey Decade Trend Analysis Report (2001-2009)

Question	Prevalence Survey Year					Linear Change	Quadratic Change
	2001	2003	2005	2007	2009		
Female							
Tobacco Use							
Percentage of students who ever tried cigarette smoking, even one or two puffs	64.6	59.6	49.8	44.7	44.4	Yes	No
Percentage of students who smoked a whole cigarette for the first time before age 13 years	20.4	20.4	12.3	12.7	9.2	Yes	No
Percentage of students who smoked cigarettes on one or more of the past 30 days	25.8	21.4	16.6	14.3	15.3	Yes	Yes
Percentage of students who smoked cigarettes on 20 or more of the past 30 days	12.8	8.6	6.1	5.1	4.8	Yes	No
Among students who reported current cigarette use, the percentage who smoked more than 10 cigarettes per day on the days they smoked during the past 30 days	8.2	2.9	7.1	6.4	4.9	No	No
Among students who were less than 18 years of age and who reported current cigarette use, the percentage who usually got their own cigarettes by buying them in a store or gas station during the past 30 days	13.5	6.5	10.1	6.3	7.3	No	No
Percentage of students who smoked cigarettes on school property on one or more of the past 30 days	10.5	6.6	6.8	5.0	3.8	Yes	No
Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days	2.6	1.1	3.8	2.2	2.0	No	No
Percentage of students who used chewing tobacco, snuff, or dip on school property on one or more of the past 30 days	1.2	0.8	1.6	1.2	1.1	No	No

## 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Nevada High School Survey Decade Trend Analysis Report (2001-2009)

Question	Prevalence Survey Year					Linear Change	Quadratic Change
	2001	2003	2005	2007	2009		
<b>Female</b>							
<b>Alcohol and Other Drug Use</b>							
Percentage of students who had at least one drink of alcohol on one or more days during their life	82.2	78.0	74.7	72.1	74.5	Yes	Yes
Percentage of students who had their first drink of alcohol other than a few sips before age 13 years	29.6	28.7	25.5	22.5	22.5	Yes	No
Percentage of students who had at least one drink of alcohol on one or more of the past 30 days	48.6	46.3	40.4	39.2	38.7	Yes	No
Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days	31.8	28.9	22.8	22.1	21.2	Yes	No
Among students who reported current alcohol use, the percentage who usually got the alcohol they drank from someone who gave it to them during the past 30 days				42.9	43.5	No	
Percentage of students who had at least one drink of alcohol on school property on one or more of the past 30 days	7.5	7.1	5.2	4.2	4.1	Yes	No
Percentage of students who used marijuana one or more times during their life	48.8	48.9	36.1	34.4	35.9	Yes	No
Percentage of students who tried marijuana for the first time before age 13 years	14.2	12.3	7.7	6.7	5.9	Yes	No
Percentage of students who used marijuana one or more times during the past 30 days	23.5	22.2	15.4	13.7	16.7	Yes	Yes
Percentage of students who used marijuana on school property one or more times during the past 30 days	4.9	5.1	3.7	3.3	3.1	Yes	No
Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life	12.4	12.3	11.8	8.9	6.3	Yes	Yes
Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life	16.0	16.5	15.7	14.1	15.0	No	No
Percentage of students who used methamphetamines one or more times during their life	16.5	16.2	12.2	7.5	5.2	Yes	Yes
Percentage of students who took steroid pills or shots without a doctor's prescription one or more times during their life	4.7	6.3	5.1	3.0	3.1	Yes	No
Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life	2.2	3.2	3.0	1.3	1.2	Yes	Yes

## 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Nevada High School Survey Decade Trend Analysis Report (2001-2009)

Question	Prevalence Survey Year					Linear Change	Quadratic Change
	2001	2003	2005	2007	2009		
<b>Female</b>							
<b>Alcohol and Other Drug Use</b>							
Percentage of students who were offered, sold, or given an illegal drug by someone on school property during the past 12 months	31.8	33.4	26.3	26.1	32.8	No	Yes

## 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Nevada High School Survey Decade Trend Analysis Report (2001-2009)

Question	Prevalence Survey Year					Linear Change	Quadratic Change
	2001	2003	2005	2007	2009		
<b>Female</b>							
<b>Sexual Behaviors</b>							
Percentage of students who ever had sexual intercourse	48.3	45.4	39.6	40.3	45.3	No	Yes
Percentage of students who had sexual intercourse for the first time before age 13 years	5.1	4.2	3.8	3.1	3.4	Yes	No
Percentage of students who had sexual intercourse with four or more people during their life	14.2	16.6	11.5	10.4	10.9	Yes	No
Percentage of students who had sexual intercourse with one or more people during the past three months	36.7	34.4	30.6	30.3	32.8	Yes	No
Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse	19.9	22.7	18.9	18.3	15.5	No	No
Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse	51.2	52.7	58.3	57.3	57.3	No	No
Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse	21.0	24.7	21.1	18.5	20.5	No	No
Percentage of students who had ever been taught in school about AIDS or HIV infection	85.4	88.2	85.1	82.5	84.4	No	No



# 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Nevada High School Survey Decade Trend Analysis Report (2001-2009)

Question	Prevalence Survey Year					Linear Change	Quadratic Change
	2001	2003	2005	2007	2009		
<b>Female</b>							
<b>Weight Management and Dietary Behaviors</b>							
Percentage of students who were overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)				13.9	13.5	No	
Percentage of students who were obese (i.e., at or above the 95th percentile for body mass index, by age and sex)				7.6	6.7	No	
Percentage of students who described themselves as slightly or very overweight	34.2	35.5	32.3	33.9	33.4	No	No
Percentage of students who were trying to lose weight	61.6	63.0	63.1	58.5	59.4	No	No
Percentage of students who exercised to lose weight or to keep from gaining weight during the past 30 days	69.1	71.7	74.8	69.9	67.7	No	Yes
Percentage of students who ate less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight during the past 30 days	54.2	51.4	56.1	49.7	46.4	Yes	Yes
Percentage of students who went without eating for 24 hours or more to lose weight or to keep from gaining weight during the past 30 days	20.9	17.9	15.1	15.2	13.8	Yes	No
Percentage of students who took any diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight during the past 30 days	15.2	12.9	9.8	7.3	7.0	Yes	No
Percentage of students who vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days	10.0	8.5	8.8	7.4	8.1	No	No
Percentage of students who drank 100% fruit juices one or more times during the past seven days				79.7	76.7	No	
Percentage of students who ate fruit one or more times during the past seven days				85.6	83.6	No	
Percentage of students who ate green salad one or more times during the past seven days	70.7	68.0	69.1	67.8	63.7	Yes	No
Percentage of students who ate potatoes one or more times during the past seven days				63.5	61.2	No	
Percentage of students who ate carrots one or more times during the past seven days				50.1	44.3	No	
Percentage of students who ate other vegetables one or more times during the past seven days				82.6	82.1	No	
Percentage of students who ate fruits and vegetables five or more times per day during the past seven days				17.0	13.0	Yes	

## 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Nevada High School Survey Decade Trend Analysis Report (2001-2009)

Question	Prevalence Survey Year					Linear Change	Quadratic Change
	2001	2003	2005	2007	2009		
Female							
Weight Management and Dietary Behaviors							
Percentage of students who ate fruits two or more times per day during the past seven days				28.7	26.3	No	
Percentage of students who ate vegetables three or more times per day during the past seven days				12.1	7.5	Yes	
Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day during the past seven days				20.3	17.6	No	
Percentage of students who drank three or more glasses per day of milk during the past seven days	10.3	9.9	11.1	8.5	7.0	Yes	No

## 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Nevada High School Survey Decade Trend Analysis Report (2001-2009)

Question	Prevalence Survey Year					Linear Change	Quadratic Change
	2001	2003	2005	2007	2009		
Female							
Physical Activity							
Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days				38.1	35.2	No	
Percentage of students who watched three or more hours per day of TV on an average school day				32.9	36.4	No	
Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day				20.6	20.9	No	

## 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Nevada High School Survey Decade Trend Analysis Report (2001-2009)

Question	Prevalence Survey Year					Linear Change	Quadratic Change
	2001	2003	2005	2007	2009		
<b>White*</b>							
<b>Injury and Violence</b>							
Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else				9.6	6.8	No	
Percentage of students who rode one or more times during the past 30 days in a car or other vehicle driven by someone who had been drinking alcohol	26.4	25.5	24.0	21.7	21.6	Yes	No
Percentage of students who drove a car or other vehicle one or more times during the past 30 days when they had been drinking alcohol	14.3	11.3	10.7	10.5	8.7	Yes	No
Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days	14.5	14.9	20.1	15.6	22.3	Yes	No
Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days	5.0	6.2	7.1	5.8	7.2	No	No
Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school	14.6	5.4	7.1	3.9	5.8	Yes	Yes
Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months	7.5	5.1	6.8	7.0	10.2	No	Yes
Percentage of students who were in a physical fight one or more times during the past 12 months	32.2	34.9	33.5	27.6	32.2	No	No
Percentage of students who were in a physical fight on school property one or more times during the past 12 months	12.2	12.0	12.8	9.4	8.8	Yes	No
Percentage of students who were ever hit, slapped, or physically hurt on purpose by their boyfriend or girlfriend during the past 12 months	10.9	10.3	9.9	8.7	9.7	No	No
Percentage of students who had ever been physically forced to have sexual intercourse when they did not want to	8.7	10.9	10.0	7.3	10.3	No	No
Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months	29.6	29.8	27.9	22.7	28.2	No	No
Percentage of students who seriously considered attempting suicide during the past 12 months	20.9	19.2	17.5	15.0	17.2	Yes	No
Percentage of students who made a plan about how they would attempt suicide during the past 12 months	15.9	15.7	14.2	14.7	14.7	No	No

\*Non-Hispanic.

## 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Nevada High School Survey Decade Trend Analysis Report (2001-2009)

Question	Prevalence Survey Year					Linear Change	Quadratic Change
	2001	2003	2005	2007	2009		
<b>White*</b>							
<b>Injury and Violence</b>							
Percentage of students who actually attempted suicide one or more times during the past 12 months	9.1	7.8	7.8	6.8	8.9	No	No
Percentage of students who made a suicide attempt during the past 12 months that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse	2.9	2.8	2.7	2.7	3.5	No	No

\*Non-Hispanic.

## 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Nevada High School Survey Decade Trend Analysis Report (2001-2009)

Question	Prevalence Survey Year					Linear Change	Quadratic Change
White*	2001	2003	2005	2007	2009		
Tobacco Use							
Percentage of students who ever tried cigarette smoking, even one or two puffs	61.8	56.0	53.1	45.0	46.1	Yes	No
Percentage of students who smoked a whole cigarette for the first time before age 13 years	22.3	18.8	16.8	13.5	11.1	Yes	No
Percentage of students who smoked cigarettes on one or more of the past 30 days	26.4	22.7	21.4	16.0	21.1	Yes	No
Percentage of students who smoked cigarettes on 20 or more of the past 30 days	12.7	11.6	9.2	6.6	9.3	Yes	No
Among students who reported current cigarette use, the percentage who smoked more than 10 cigarettes per day on the days they smoked during the past 30 days	15.5	8.2	11.2	6.7	8.8	No	No
Among students who were less than 18 years of age and who reported current cigarette use, the percentage who usually got their own cigarettes by buying them in a store or gas station during the past 30 days	13.6	7.8	14.5	13.6	13.2	No	No
Percentage of students who smoked cigarettes on school property on one or more of the past 30 days	10.8	9.1	8.4	5.7	8.2	Yes	No
Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days	7.0	4.4	6.4	5.6	6.9	No	No
Percentage of students who used chewing tobacco, snuff, or dip on school property on one or more of the past 30 days	3.9	3.5	3.3	3.0	4.4	No	No

\*Non-Hispanic.

## 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Nevada High School Survey Decade Trend Analysis Report (2001-2009)

Question	Prevalence Survey Year					Linear Change	Quadratic Change
	2001	2003	2005	2007	2009		
<b>White*</b>							
<b>Alcohol and Other Drug Use</b>							
Percentage of students who had at least one drink of alcohol on one or more days during their life	78.6	75.9	73.8	73.0	72.7	Yes	No
Percentage of students who had their first drink of alcohol other than a few sips before age 13 years	28.5	31.6	29.8	22.9	22.9	Yes	No
Percentage of students who had at least one drink of alcohol on one or more of the past 30 days	48.7	45.0	43.9	40.5	41.4	Yes	No
Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days	35.0	31.3	28.0	25.1	24.9	Yes	No
Among students who reported current alcohol use, the percentage who usually got the alcohol they drank from someone who gave it to them during the past 30 days				32.3	35.1	No	
Percentage of students who had at least one drink of alcohol on school property on one or more of the past 30 days	7.0	6.1	5.6	3.3	3.8	Yes	No
Percentage of students who used marijuana one or more times during their life	49.1	47.4	39.7	35.0	40.6	Yes	No
Percentage of students who tried marijuana for the first time before age 13 years	13.8	11.1	11.0	7.0	9.1	Yes	No
Percentage of students who used marijuana one or more times during the past 30 days	25.6	23.6	19.1	15.6	21.7	Yes	Yes
Percentage of students who used marijuana on school property one or more times during the past 30 days	6.6	5.3	6.0	2.9	4.8	Yes	No
Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life	10.3	10.9	11.1	7.9	7.8	Yes	No
Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life	15.4	15.5	16.2	14.2	13.3	No	No
Percentage of students who used methamphetamines one or more times during their life	13.1	12.6	12.8	5.8	4.5	Yes	Yes
Percentage of students who took steroid pills or shots without a doctor's prescription one or more times during their life	3.9	5.7	5.4	3.8	3.7	No	No
Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life	2.4	3.1	3.2	1.8	2.0	No	No

\*Non-Hispanic.

## 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Nevada High School Survey Decade Trend Analysis Report (2001-2009)

Question	Prevalence Survey Year					Linear Change	Quadratic Change
	2001	2003	2005	2007	2009		
White*							
Alcohol and Other Drug Use							
Percentage of students who were offered, sold, or given an illegal drug by someone on school property during the past 12 months	33.3	31.7	30.4	26.4	33.3	No	Yes

\*Non-Hispanic.



## 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Nevada High School Survey Decade Trend Analysis Report (2001-2009)

Question	Prevalence Survey Year					Linear Change	Quadratic Change
	2001	2003	2005	2007	2009		
<b>White*</b>							
<b>Sexual Behaviors</b>							
Percentage of students who ever had sexual intercourse	47.2	45.0	42.5	39.6	45.8	No	No
Percentage of students who had sexual intercourse for the first time before age 13 years	6.4	4.9	7.1	3.6	4.6	No	No
Percentage of students who had sexual intercourse with four or more people during their life	15.4	16.7	14.1	11.4	14.7	No	No
Percentage of students who had sexual intercourse with one or more people during the past three months	33.4	31.2	31.9	29.4	32.0	No	No
Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse	23.6	27.0	28.8	24.3	21.7	No	No
Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse	61.1	63.9	66.9	62.8	64.3	No	No
Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse	21.0	25.6	20.6	25.3	25.3	No	No
Percentage of students who had ever been taught in school about AIDS or HIV infection	91.0	91.9	89.4	86.7	88.5	Yes	No

\*Non-Hispanic.

## 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Nevada High School Survey Decade Trend Analysis Report (2001-2009)

Question	Prevalence Survey Year					Linear Change	Quadratic Change
	2001	2003	2005	2007	2009		
<b>White*</b>							
<b>Weight Management and Dietary Behaviors</b>							
Percentage of students who were overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)				12.7	11.4	No	
Percentage of students who were obese (i.e., at or above the 95th percentile for body mass index, by age and sex)				6.4	9.5	Yes	
Percentage of students who described themselves as slightly or very overweight	26.8	30.0	28.2	25.9	29.8	No	No
Percentage of students who were trying to lose weight	43.6	44.4	46.7	41.7	43.8	No	No
Percentage of students who exercised to lose weight or to keep from gaining weight during the past 30 days	59.5	63.2	64.0	63.6	63.4	No	No
Percentage of students who ate less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight during the past 30 days	37.8	37.4	41.6	37.6	36.1	No	No
Percentage of students who went without eating for 24 hours or more to lose weight or to keep from gaining weight during the past 30 days	13.8	9.4	11.0	10.8	10.2	No	No
Percentage of students who took any diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight during the past 30 days	8.8	8.9	7.8	6.0	5.5	Yes	No
Percentage of students who vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days	5.6	5.5	4.9	4.1	4.4	No	No
Percentage of students who drank 100% fruit juices one or more times during the past seven days				78.8	78.2	No	
Percentage of students who ate fruit one or more times during the past seven days				86.0	85.6	No	
Percentage of students who ate green salad one or more times during the past seven days	72.6	71.3	72.7	69.8	65.9	Yes	No
Percentage of students who ate potatoes one or more times during the past seven days				69.8	71.9	No	
Percentage of students who ate carrots one or more times during the past seven days				49.9	50.5	No	
Percentage of students who ate other vegetables one or more times during the past seven days				83.8	83.6	No	
Percentage of students who ate fruits and vegetables five or more times per day during the past seven days				16.7	16.5	No	
*Non-Hispanic.							

## 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Nevada High School Survey Decade Trend Analysis Report (2001-2009)

Question	Prevalence Survey Year					Linear Change	Quadratic Change
	2001	2003	2005	2007	2009		
White*							
Weight Management and Dietary Behaviors							
Percentage of students who ate fruits two or more times per day during the past seven days				25.8	26.2	No	
Percentage of students who ate vegetables three or more times per day during the past seven days				11.4	8.2	No	
Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day during the past seven days				23.8	23.5	No	
Percentage of students who drank three or more glasses per day of milk during the past seven days	20.3	20.5	20.7	16.7	15.9	Yes	No

\*Non-Hispanic.

## 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Nevada High School Survey Decade Trend Analysis Report (2001-2009)

Question	Prevalence Survey Year					Linear Change	Quadratic Change
	2001	2003	2005	2007	2009		
White*							
Physical Activity							
Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days				52.9	48.9	No	
Percentage of students who watched three or more hours per day of TV on an average school day				29.1	25.9	No	
Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day				23.0	23.3	No	

\*Non-Hispanic.

## 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Nevada High School Survey Decade Trend Analysis Report (2001-2009)

Question	Prevalence Survey Year					Linear Change	Quadratic Change
	2001	2003	2005	2007	2009		
<b>Black*</b>							
<b>Injury and Violence</b>							
Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else				11.2	9.6	No	
Percentage of students who rode one or more times during the past 30 days in a car or other vehicle driven by someone who had been drinking alcohol	25.0	23.4	25.7	20.0	16.9	No	No
Percentage of students who drove a car or other vehicle one or more times during the past 30 days when they had been drinking alcohol	8.2	13.4	11.2	5.8	2.2	No	Yes
Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days	19.2	13.6	11.9	17.3	12.1	No	No
Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days	10.2	6.4	5.7	5.9	5.0	No	No
Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school	21.6	10.4	13.7	8.3	8.4	Yes	No
Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months	14.2	5.5	16.5	12.1	9.3	No	No
Percentage of students who were in a physical fight one or more times during the past 12 months	48.0	34.8	33.8	41.6	40.4	No	No
Percentage of students who were in a physical fight on school property one or more times during the past 12 months	22.3	9.1	17.9	15.6	13.7	No	No
Percentage of students who were ever hit, slapped, or physically hurt on purpose by their boyfriend or girlfriend during the past 12 months	22.8	15.3	14.5	12.2	12.9	No	No
Percentage of students who had ever been physically forced to have sexual intercourse when they did not want to	13.9	15.6	11.3	8.9	6.9	Yes	No
Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months	28.9	29.4	22.0	24.7	27.0	No	No
Percentage of students who seriously considered attempting suicide during the past 12 months	17.7	18.4	11.8	14.7	16.6	No	No
Percentage of students who made a plan about how they would attempt suicide during the past 12 months	19.4	10.7	18.4	13.8	11.4	No	No

\*Non-Hispanic.

## 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Nevada High School Survey Decade Trend Analysis Report (2001-2009)

Question	Prevalence Survey Year					Linear Change	Quadratic Change
	2001	2003	2005	2007	2009		
<b>Black*</b>							
<b>Injury and Violence</b>							
Percentage of students who actually attempted suicide one or more times during the past 12 months		7.7	7.6	10.4	11.8	No	No
Percentage of students who made a suicide attempt during the past 12 months that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse		1.4	3.6	5.5	4.9	No	No

\*Non-Hispanic.

## 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Nevada High School Survey Decade Trend Analysis Report (2001-2009)

Question	Prevalence Survey Year					Linear Change	Quadratic Change
	2001	2003	2005	2007	2009		
<b>Black*</b>							
<b>Tobacco Use</b>							
Percentage of students who ever tried cigarette smoking, even one or two puffs	67.3	57.0	42.7	43.1	39.8	Yes	No
Percentage of students who smoked a whole cigarette for the first time before age 13 years	18.7	13.7	9.8	13.5	8.0	No	No
Percentage of students who smoked cigarettes on one or more of the past 30 days		12.2	10.8	7.4	8.6	No	No
Percentage of students who smoked cigarettes on 20 or more of the past 30 days		4.7	5.2	3.2	2.3	No	No
Percentage of students who smoked cigarettes on school property on one or more of the past 30 days	7.2	5.6	4.8	4.5	1.4	No	No
Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days	9.5	2.1	8.4	4.2	1.1	Yes	No
Percentage of students who used chewing tobacco, snuff, or dip on school property on one or more of the past 30 days	4.9	0.7	7.6	3.8	0.4	No	No

\*Non-Hispanic.

## 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Nevada High School Survey Decade Trend Analysis Report (2001-2009)

Question	Prevalence Survey Year					Linear Change	Quadratic Change
	2001	2003	2005	2007	2009		
<b>Black*</b>							
<b>Alcohol and Other Drug Use</b>							
Percentage of students who had at least one drink of alcohol on one or more days during their life		73.3	68.9	65.8	68.8	No	No
Percentage of students who had their first drink of alcohol other than a few sips before age 13 years		26.0	21.8	23.8	26.6	No	No
Percentage of students who had at least one drink of alcohol on one or more of the past 30 days		31.4	27.0	26.9	24.5	No	No
Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days	20.6	16.4	17.9	14.5	11.0	No	No
Percentage of students who had at least one drink of alcohol on school property on one or more of the past 30 days	7.8	10.3	10.3	5.4	2.2	No	Yes
Percentage of students who used marijuana one or more times during their life	56.6	52.2	43.0	43.4	40.0	Yes	No
Percentage of students who tried marijuana for the first time before age 13 years	22.2	13.4	15.0	11.8	9.8	No	No
Percentage of students who used marijuana one or more times during the past 30 days	30.5	21.7	14.6	19.1	21.2	No	Yes
Percentage of students who used marijuana on school property one or more times during the past 30 days	8.6	5.3	4.6	3.0	2.7	No	No
Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life	10.4	6.1	9.2	5.5	5.2	No	No
Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life	14.7	6.0	11.7	11.1	8.6	No	No
Percentage of students who used methamphetamines one or more times during their life	18.0	9.1	12.8	7.9	5.4	Yes	No
Percentage of students who took steroid pills or shots without a doctor's prescription one or more times during their life	8.0	11.4	7.0	2.4	2.8	Yes	No
Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life	7.0	3.0	5.1	3.1	1.4	No	No
Percentage of students who were offered, sold, or given an illegal drug by someone on school property during the past 12 months	40.6	34.9	26.6	34.1	30.9	No	No

\*Non-Hispanic.



## 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Nevada High School Survey Decade Trend Analysis Report (2001-2009)

Question	Prevalence Survey Year					Linear Change	Quadratic Change
	2001	2003	2005	2007	2009		
<b>Black*</b>							
<b>Sexual Behaviors</b>							
Percentage of students who ever had sexual intercourse		62.2	54.5	61.1	56.4	No	No
Percentage of students who had sexual intercourse for the first time before age 13 years		16.7	7.6	16.5	13.2	No	No
Percentage of students who had sexual intercourse with four or more people during their life		39.0	24.5	28.1	23.0	No	No
Percentage of students who had sexual intercourse with one or more people during the past three months		49.1	36.7	43.6	37.4	No	No
Percentage of students who had ever been taught in school about AIDS or HIV infection	85.0	84.9	79.1	86.1	77.3	No	No

\*Non-Hispanic.

## 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Nevada High School Survey Decade Trend Analysis Report (2001-2009)

Question	Prevalence Survey Year					Linear Change	Quadratic Change
	2001	2003	2005	2007	2009		
<b>Black*</b>							
<b>Weight Management and Dietary Behaviors</b>							
Percentage of students who were overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)				15.9	15.6	No	
Percentage of students who were obese (i.e., at or above the 95th percentile for body mass index, by age and sex)				13.3	11.5	No	
Percentage of students who described themselves as slightly or very overweight	24.5	24.0	31.9	21.5	24.5	No	No
Percentage of students who were trying to lose weight	42.2	43.7	43.6	36.6	38.2	No	No
Percentage of students who exercised to lose weight or to keep from gaining weight during the past 30 days		47.9	67.2	58.2	55.0	No	Yes
Percentage of students who ate less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight during the past 30 days		30.5	40.2	29.5	23.2	No	No
Percentage of students who went without eating for 24 hours or more to lose weight or to keep from gaining weight during the past 30 days		17.0	12.2	10.0	8.9	Yes	No
Percentage of students who took any diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight during the past 30 days		8.9	12.3	4.8	4.3	No	No
Percentage of students who vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days		8.6	15.3	4.9	5.7	No	No
Percentage of students who drank 100% fruit juices one or more times during the past seven days				86.8	73.0	Yes	
Percentage of students who ate fruit one or more times during the past seven days				73.4	75.6	No	
Percentage of students who ate green salad one or more times during the past seven days		48.7	54.3	54.4	51.4	No	No
Percentage of students who ate potatoes one or more times during the past seven days				60.8	65.4	No	
Percentage of students who ate carrots one or more times during the past seven days				36.2	37.6	No	
Percentage of students who ate other vegetables one or more times during the past seven days				76.6	75.0	No	
Percentage of students who ate fruits and vegetables five or more times per day during the past seven days				26.2	21.9	No	
*Non-Hispanic.							

## 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Nevada High School Survey Decade Trend Analysis Report (2001-2009)

Question	Prevalence Survey Year					Linear Change	Quadratic Change
	2001	2003	2005	2007	2009		
Black*							
Weight Management and Dietary Behaviors							
Percentage of students who ate fruits two or more times per day during the past seven days				36.9	35.4	No	
Percentage of students who ate vegetables three or more times per day during the past seven days				13.9	11.4	No	
Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day during the past seven days				25.3	22.3	No	
Percentage of students who drank three or more glasses per day of milk during the past seven days		7.5	13.6	7.5	10.3	No	No

\*Non-Hispanic.

## 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Nevada High School Survey Decade Trend Analysis Report (2001-2009)

Question	Prevalence Survey Year					Linear Change	Quadratic Change
	2001	2003	2005	2007	2009		
<b>Black*</b>							
<b>Physical Activity</b>							
Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days				50.9	49.3	No	
Percentage of students who watched three or more hours per day of TV on an average school day				54.2	55.7	No	
Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day				25.6	30.2	No	

\*Non-Hispanic.

## 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Nevada High School Survey Decade Trend Analysis Report (2001-2009)

Question	Prevalence Survey Year					Linear Change	Quadratic Change
	2001	2003	2005	2007	2009		
<b>Hispanic/Latino</b>							
<b>Injury and Violence</b>							
Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else				10.5	11.5	No	
Percentage of students who rode one or more times during the past 30 days in a car or other vehicle driven by someone who had been drinking alcohol	35.8	30.7	31.3	28.0	27.4	Yes	No
Percentage of students who drove a car or other vehicle one or more times during the past 30 days when they had been drinking alcohol	12.5	10.3	8.7	8.0	7.2	Yes	No
Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days	15.8	14.3	16.0	12.3	16.8	No	No
Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days	7.9	6.2	4.7	3.5	5.4	No	No
Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school	18.6	13.6	10.5	10.8	10.2	Yes	No
Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months	7.5	7.6	6.0	7.1	11.2	No	Yes
Percentage of students who were in a physical fight one or more times during the past 12 months	36.0	34.9	36.8	33.1	36.0	No	No
Percentage of students who were in a physical fight on school property one or more times during the past 12 months	10.1	14.0	15.1	12.6	9.8	No	No
Percentage of students who were ever hit, slapped, or physically hurt on purpose by their boyfriend or girlfriend during the past 12 months	9.7	7.1	9.1	9.9	12.5	No	No
Percentage of students who had ever been physically forced to have sexual intercourse when they did not want to	7.2	9.4	7.2	7.4	10.9	No	No
Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months	29.5	30.2	28.7	31.5	34.4	No	No
Percentage of students who seriously considered attempting suicide during the past 12 months	17.9	13.5	13.3	13.6	18.9	No	Yes
Percentage of students who made a plan about how they would attempt suicide during the past 12 months	15.8	13.7	13.2	13.3	14.7	No	No

## 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Nevada High School Survey Decade Trend Analysis Report (2001-2009)

Question	Prevalence Survey Year					Linear Change	Quadratic Change
	2001	2003	2005	2007	2009		
<b>Hispanic/Latino</b>							
<b>Injury and Violence</b>							
Percentage of students who actually attempted suicide one or more times during the past 12 months	12.8	10.6	9.4	11.3	11.9	No	No
Percentage of students who made a suicide attempt during the past 12 months that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse	3.7	4.0	3.5	3.3	3.7	No	No

## 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Nevada High School Survey Decade Trend Analysis Report (2001-2009)

Question	Prevalence Survey Year					Linear Change	Quadratic Change
	2001	2003	2005	2007	2009		
Hispanic/Latino							
Tobacco Use							
Percentage of students who ever tried cigarette smoking, even one or two puffs	72.8	59.8	54.5	44.4	50.2	Yes	Yes
Percentage of students who smoked a whole cigarette for the first time before age 13 years	25.1	19.0	17.3	11.6	11.9	Yes	No
Percentage of students who smoked cigarettes on one or more of the past 30 days	25.4	15.9	15.4	11.2	15.7	Yes	Yes
Percentage of students who smoked cigarettes on 20 or more of the past 30 days	9.9	4.2	2.8	3.1	4.2	Yes	Yes
Percentage of students who smoked cigarettes on school property on one or more of the past 30 days	9.3	4.0	3.7	3.7	3.9	Yes	Yes
Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days	5.2	1.9	3.7	2.7	4.6	No	No
Percentage of students who used chewing tobacco, snuff, or dip on school property on one or more of the past 30 days	3.3	1.7	2.2	2.1	2.1	No	No

## 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Nevada High School Survey Decade Trend Analysis Report (2001-2009)

Question	Prevalence Survey Year					Linear Change	Quadratic Change
	2001	2003	2005	2007	2009		
Hispanic/Latino							
Alcohol and Other Drug Use							
Percentage of students who had at least one drink of alcohol on one or more days during their life	82.6	75.5	77.0	72.6	75.0	No	No
Percentage of students who had their first drink of alcohol other than a few sips before age 13 years	37.6	33.2	36.5	26.8	28.3	Yes	No
Percentage of students who had at least one drink of alcohol on one or more of the past 30 days	49.9	44.7	42.2	34.6	40.8	Yes	No
Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days	33.8	24.5	22.3	18.8	22.6	Yes	Yes
Among students who reported current alcohol use, the percentage who usually got the alcohol they drank from someone who gave it to them during the past 30 days				45.1	31.8	Yes	
Percentage of students who had at least one drink of alcohol on school property on one or more of the past 30 days	8.2	9.1	7.0	5.4	6.0	Yes	No
Percentage of students who used marijuana one or more times during their life	51.5	43.6	37.6	34.5	38.6	Yes	Yes
Percentage of students who tried marijuana for the first time before age 13 years	22.3	13.7	13.7	10.4	9.3	Yes	No
Percentage of students who used marijuana one or more times during the past 30 days	27.6	20.2	14.8	14.0	19.5	Yes	Yes
Percentage of students who used marijuana on school property one or more times during the past 30 days	8.8	5.4	5.2	4.5	6.1	No	No
Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life	14.9	12.7	11.2	9.1	8.4	Yes	No
Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life	18.3	14.6	14.6	12.0	13.9	Yes	No
Percentage of students who used methamphetamines one or more times during their life	17.7	13.8	9.2	6.9	7.6	Yes	No
Percentage of students who took steroid pills or shots without a doctor's prescription one or more times during their life	8.9	6.4	4.9	4.5	3.9	Yes	No
Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life	3.3	3.0	4.3	1.7	1.9	No	No



## 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Nevada High School Survey Decade Trend Analysis Report (2001-2009)

Question	Prevalence Survey Year					Linear Change	Quadratic Change
	2001	2003	2005	2007	2009		
Hispanic/Latino							
Alcohol and Other Drug Use							
Percentage of students who were offered, sold, or given an illegal drug by someone on school property during the past 12 months	38.4	38.9	36.9	29.2	40.2	No	Yes

## 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Nevada High School Survey Decade Trend Analysis Report (2001-2009)

Question	Prevalence Survey Year					Linear Change	Quadratic Change
	2001	2003	2005	2007	2009		
Hispanic/Latino							
Sexual Behaviors							
Percentage of students who ever had sexual intercourse	48.7	43.1	42.6	43.7	49.9	No	Yes
Percentage of students who had sexual intercourse for the first time before age 13 years	10.9	9.8	8.8	5.1	6.8	Yes	No
Percentage of students who had sexual intercourse with four or more people during their life	16.2	16.9	13.5	11.5	13.8	No	No
Percentage of students who had sexual intercourse with one or more people during the past three months	35.6	30.0	25.7	29.6	31.0	No	Yes
Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse				21.6	21.5	No	
Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse				72.7	59.4	Yes	
Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse				5.8	10.1	No	
Percentage of students who had ever been taught in school about AIDS or HIV infection	78.3	80.3	79.0	73.1	76.5	No	No

## 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Nevada High School Survey Decade Trend Analysis Report (2001-2009)

Question	Prevalence Survey Year					Linear Change	Quadratic Change
	2001	2003	2005	2007	2009		
Hispanic/Latino							
Weight Management and Dietary Behaviors							
Percentage of students who were overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)				18.6	15.0	No	
Percentage of students who were obese (i.e., at or above the 95th percentile for body mass index, by age and sex)				17.4	13.8	No	
Percentage of students who described themselves as slightly or very overweight	35.6	32.6	32.4	34.0	29.1	No	No
Percentage of students who were trying to lose weight	55.6	54.8	54.7	52.7	50.1	No	No
Percentage of students who exercised to lose weight or to keep from gaining weight during the past 30 days	63.6	64.6	65.0	67.5	65.1	No	No
Percentage of students who ate less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight during the past 30 days	44.5	42.8	41.0	40.8	38.5	No	No
Percentage of students who went without eating for 24 hours or more to lose weight or to keep from gaining weight during the past 30 days	16.3	14.2	13.1	10.2	12.2	Yes	No
Percentage of students who took any diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight during the past 30 days	17.2	12.0	8.7	9.1	6.3	Yes	No
Percentage of students who vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days	9.3	7.0	9.8	6.2	7.2	No	No
Percentage of students who drank 100% fruit juices one or more times during the past seven days				81.6	81.0	No	
Percentage of students who ate fruit one or more times during the past seven days				85.7	84.8	No	
Percentage of students who ate green salad one or more times during the past seven days	62.0	60.9	55.3	64.7	55.4	No	No
Percentage of students who ate potatoes one or more times during the past seven days				67.1	56.9	Yes	
Percentage of students who ate carrots one or more times during the past seven days				50.9	43.2	Yes	
Percentage of students who ate other vegetables one or more times during the past seven days				75.6	77.7	No	
Percentage of students who ate fruits and vegetables five or more times per day during the past seven days				21.3	16.0	Yes	

## 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Nevada High School Survey Decade Trend Analysis Report (2001-2009)

Question	Prevalence Survey Year					Linear Change	Quadratic Change
	2001	2003	2005	2007	2009		
Hispanic/Latino							
Weight Management and Dietary Behaviors							
Percentage of students who ate fruits two or more times per day during the past seven days				34.3	29.4	No	
Percentage of students who ate vegetables three or more times per day during the past seven days				12.4	10.2	No	
Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day during the past seven days				24.5	21.4	No	
Percentage of students who drank three or more glasses per day of milk during the past seven days	12.6	11.7	10.8	14.4	9.8	No	No

## 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Nevada High School Survey Decade Trend Analysis Report (2001-2009)

Question	Prevalence Survey Year					Linear Change	Quadratic Change
	2001	2003	2005	2007	2009		
Hispanic/Latino							
Physical Activity							
Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days				35.2	37.2	No	
Percentage of students who watched three or more hours per day of TV on an average school day				38.7	40.3	No	
Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day				21.2	25.5	No	